L Number	Hits	Search Text	DB	Time stamp
41	250	(multi\$4language OR (multi\$4 adj language)) and (source adj code) and compil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/27 15:01
42	. 89	((multi\$4language OR (multi\$4 adj language)) and (source adj code) and compil\$5) and 717.clas.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/27 16:31
43	107	incorporated with tool with compiler	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/10/27 16:31
44	57	(incorporated with tool with compiler) and 717.clas.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/27 16:33
45	1	((incorporated with tool with compiler) and 717.clas.) not Aho	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/27 16:33
46	49	compiler with built\$2 with tool	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/10/27 16:33
47	18	(compiler with built\$2 with tool) and 717.clas.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/10 <u>/</u> 27 16:33
-	1485	717/140-150.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/10/20 09:59
-	2599	717/140-167.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/10/14 17:32
-	2599	717/140-167.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/10/14 17:32
-	3	717/140-167.ccls. and UML and OS and model and (programming adj language) and (compil\$5 with (plurality OR several OR different OR multiple)) and JAVA and C++	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 18:09

-	22	UML and OS and model and (programming adj	USPAT;	2004/10/14
		language) and (compil\$5 with (plurality OR	US-PGPUB;	17:53
		several OR different OR multiple)) and JAVA and	EPO; JPO;	
		C++	DERWENT;	
			IBM_TDB	
_	15	(software with application with model with	USPAT;	2004/10/14
		representation) and compil\$5	US-PGPUB;	17:54
		· ·	EPO; JPO;	27,10
			DERWENT;	
			IBM_TDB	
_	1	((software with application with model with	USPAT;	2004/10/14
_	+	representation) and compil\$5) and UML	US-PGPUB;	17:54
		representation, and compliss, and one	EPO; JPO;	17.54
,			DERWENT;	
			IBM_TDB	2004/10/14
-	57	software with application with model with	USPAT;	2004/10/14
		representation\$1	US-PGPUB;	17:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	542	plurality with programming with languages	USPAT;	2004/10/14
			US-PGPUB;	17:59
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	135	((plurality with programming with languages)	USPAT;	2004/10/14
		and compil\$6) and model	US-PGPUB;	17:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(((plurality with programming with languages)	USPAT;	2004/10/14
-		and compil\$6) and model) and UML	US-PGPUB;	18:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(plurality with programming with languages).ti.	USPAT;	2004/10/14
			US-PGPUB;	17:59
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	57	software with application with model with	USPAT;	2004/10/14
		representation	US-PGPUB;	18:00
,			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3	(software with application with model with	USPAT;	2004/10/14
		representation) and UML	US-PGPUB;	18:02
		representationy and one	EPO; JPO;	10.02
			DERWENT;	
			IBM_TDB	
_	3	software with application with model with	USPAT;	2004/10/15
_	3	'		2004/10/15
		representation) and UML\$1	US-PGPUB;	11:42
			EPO; JPO;	-
			DERWENT;	
L		·	IBM_TDB	

-	3	(software with application with model with	USPAT;	2004/10/15
		representation) and Unified adj Modeling	US-PGPUB;	11:42
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	3	(software with application with model with	USPAT;	2004/10/14
		representation) and (UML\$1)	US-PGPUB;	18:03
			EPO; JPO;	10,00
			DERWENT;	,
İ			IBM_TDB	
<u>-</u>	2	717/104-109.ccls. and UML and OS and model	USPAT;	2004/10/14
	_	and (programming adj language) and (compil\$5	US-PGPUB;	18:10
		with (plurality OR several OR different OR	EPO; JPO;	10.10
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
		multiple)) and JAVA and C++	•	
	27	717/104 100 cdc and OS and model and	IBM_TDB	2004/10/14
-	37	717/104-109.ccls. and OS and model and	USPAT;	2004/10/14
		(programming adj language) and (compil\$5 with	US-PGPUB;	18:14
		(plurality OR several OR different OR multiple))	EPO; JPO;	
1		and JAVA and C++	DERWENT;	
			IBM_TDB	
-	82	717/104-109.ccls. and OS and model and	USPAT;	2004/10/14
		(programming adj language) and (compil\$5 with	US-PGPUB;	18:17
		(plurality OR several OR different OR multiple))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	(Model\$4 adj language) and model and	USPAT;	2004/10/14
		compil\$5 and (plurality with programming with	US-PGPUB;	18:19
1		languages)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	119	717/105.ccls.	USPAT;	2004/10/14
1			US-PGPUB;	18:19
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	717/105.ccls. and ((unified OR universal) adj	USPAT;	2004/10/14
		model\$4)	US-PGPUB;	18:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	7205	717.clas.	USPAT;	2004/10/15
-	/203	/1/.clas.	US-PGPUB;	11:30
		,		11.50
			EPO; JPO;	
			DERWENT;	
		717 along and (myllight with my	IBM_TDB	2004/10/15
-	176	717.clas. and (multiple with programming with	USPAT;	2004/10/15
		languages)	US-PGPUB;	11:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	90	(717.clas. and (multiple with programming with	USPAT;	2004/10/15
		languages)) and model	US-PGPUB;	11:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	12	717.clas. and ((programming adj language) with identif\$7) and compil\$5 and platform and (UML	USPAT; US-PGPUB;	2004/10/15 11:50
		OR (Unified adj model\$4))	EPO; JPO; DERWENT; IBM_TDB	
	3	(software with application with model with	USPAT;	2004/10/15
		representation) and UML\$2	US-PGPUB;	11:42
		Trepresentationy and onege	EPO; JPO;	11.72
			DERWENT;	
			IBM_TDB	
-	3	(software with application with model with	USPAT;	2004/10/15
		representation) and Unified adj Modeling	US-PGPUB;	11:49
			EPO; JPO;	
		,	DERWENT;	
	,		IBM_TDB	2004/10/15
-	4	(software with application with model with representation) and uml\$3	USPAT; US-PGPUB;	2004/10/15 11:49
		representation) and dimps	EPO; JPO;	11.45
			DERWENT;	
			IBM_TDB	
-	12	717.clas. and ((programming adj language) with	USPAT;	2004/10/15
		identif\$7) and compil\$5 and platform and (UML\$	US-PGPUB;	12:04
		OR (Unified adj model\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/40/45
-	1100	717.clas. and model and compil\$5 and link\$3	USPAT;	2004/10/15
		and ((programming OR source) with language)	US-PGPUB; EPO; JPO;	12:06
		•	DERWENT;	
		•	IBM_TDB	
_	147	(717.clas. and model and compil\$5 and link\$3	USPAT;	2004/10/15
		and ((programming OR source) with language))	US-PGPUB;	12:06
		and (generat\$3 with code with model)	EPO; JPO;	
		·	DERWENT;	
	79	((717.clas. and model and compil\$5 and link\$3	IBM_TDB USPAT;	2004/10/15
_	'9	and ((programming OR source) with language))	US-PGPUB;	12:07
		and (generat\$3 with code with model)) and	EPO; JPO;	==
		platform	DERWENT;	
			IBM_TDB	
-	29	(((717.clas. and model and compil\$5 and link\$3	USPAT;	2004/10/15
		and ((programming OR source) with language))	US-PGPUB;	12:12
		and (generat\$3 with code with model)) and platform) and UML\$	EPO; JPO; DERWENT;	
		Piaciotiti) and Orica 	IBM_TDB	
_	65	717/147.ccls.	USPAT;	2004/10/15
		• • • • • • • • • • • • • • • • • • • •	US-PGPUB;	12:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	717/147.ccls. and UML\$	USPAT;	2004/10/15
			US-PGPUB;	12:13
			EPO; JPO; DERWENT;	
			IBM_TDB	!
	l	L	,,,	L

	2500	717/140 167 2012	LICDAT	2004/10/15
-	2599	717/140-167.ccls.	USPAT;	2004/10/15
			US-PGPUB;	12:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	312	717/140-167.ccls. and (several OR multiple OR	USPAT;	2004/10/15
		plurality OR different) with programming with	US-PGPUB;	12:14
		languages	EPO; JPO;	
			DERWENT;	
	•		IBM_TDB	
-	277	(717/140-167.ccls. and (several OR multiple OR	USPAT;	2004/10/15
		plurality OR different) with programming with	US-PGPUB;	12:16
		languages) and compiler	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	40	((717/140-167.ccls. and (several OR multiple	USPAT;	2004/10/17
		OR plurality OR different) with programming	US-PGPUB;	16:54
		with languages) and compiler) and (identif\$4	EPO; JPO;	
		with programming with language)	DERWENT;	
		with programming with language,	IBM_TDB	
_	2	US-6038393-\$.DID.	USPAT;	2004/10/17
	_	03 0030333 4.010.	US-PGPUB;	16:03
			EPO; JPO;	10.03
			DERWENT;	
			IBM_TDB	
	2	(destination adjustform) and LIMI &	USPAT;	2004/10/17
-	2	(destination adj platform) and UML\$		
			US-PGPUB;	16:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(destination near2 platform) and UML\$	USPAT;	2004/10/17
			US-PGPUB;	16:04
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
_	3	(destination near2 platform) with model	USPAT;	2004/10/17
			US-PGPUB;	16:04
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	, , , , , , , , , , , , , , , , , , , ,
-	3	(US-6681383-\$ or US-6199195-\$).did. or	USPAT;	2004/10/17
1		(US-20030084423-\$).did.	US-PGPUB	16:08
-	0	((US-6681383-\$ or US-6199195-\$).did. or	USPAT;	2004/10/17
1		(US-20030084423-\$).did.) and (OS OR	US-PGPUB	16:09
		(operating adj system))		
-	154722	((US-6681383-\$ or US-6199195-\$).did. or	USPAT;	2004/10/17
		(US-20030084423-\$).did.) and (OS OR	US-PGPUB	16:09
		(operating adj system)) or windows	·	
-	1	((US-6681383-\$ or US-6199195-\$).did. or	USPAT;	2004/10/17
	1	(US-20030084423-\$).did.) and ((OS OR	US-PGPUB	16:29
1		(operating adj system)) or windows)		
-	317	model with textual	USPAT;	2004/10/17
1			US-PGPUB	16:29
- •	27	(model with textual) and UML\$	USPAT;	2004/10/17
		,	US-PGPUB	16:29

			1	
-	580	717/140-141.ccls.	USPAT;	2004/10/17
			US-PGPUB;	16:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	144	717/140-141.ccls. and ((multiple OR several OR	USPAT;	2004/10/18
		plurality) with (languages OR (programming adj	US-PGPUB;	10:54
		languages)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l _	351	717/140.ccls.	USPAT;	2004/10/18
	331	717/140.003.	US-PGPUB;	10:54
			1	10.54
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	2004/40/40
-	5	717/140.ccls. and ((identif\$7 OR detect\$3)	USPAT;	2004/10/18
		near3 language) with compiler	US-PGPUB;	10:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25	717/140.ccls. and ((multiple OR plurality) with	USPAT;	2004/10/18
		programming with languages)	US-PGPUB;	12:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	380	717/103-105.ccls.	USPAT;	2004/10/18
	550	7.7,100 100.000.	US-PGPUB;	12:00
			EPO; JPO;	12.00
			DERWENT;	
	3.4	717/102 105 cole and //multiple 05 alimatics	IBM_TDB	2004/10/19
-	21	717/103-105.ccls. and ((multiple OR plurality)	USPAT;	2004/10/18
		with programming with languages)	US-PGPUB;	12:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(make\$1file OR (make adj file)) with ((multiple	USPAT;	2004/10/18
		OR plurality) with (compilers OR languages))	US-PGPUB;	12:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12604	((multiple OR plurality) with (compilers OR	USPAT;	2004/10/18
		languages))	US-PGPUB;	12:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	6216	((multiple OR plurality) near3 (compilers OR	USPAT;	2004/10/18
	52.15	languages))	US-PGPUB;	12:18
		1 1411944963//	EPO; JPO;	
			DERWENT;	
			•	
	600	(//multiple OB plumility) many2 (ilana OB	IBM_TDB	2004/10/19
-	689	(((multiple OR plurality) near3 (compilers OR	USPAT;	2004/10/18.
		languages))) and 717.clas.	US-PGPUB;	12:18
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

			,	,
-	385	((((multiple OR plurality) near3 (compilers OR	USPAT;	2004/10/18
		languages))) and 717.clas.) and interpret\$5	US-PGPUB;	12:18
			EPO; JPO;	
			DERWENT;	
	·	,	IBM_TDB	
-	168	(((multiple OR plurality) near3 (compilers OR	USPAT;	2004/10/18
		languages))) with interpret\$5	US-PGPUB;	12:18
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	30	((((multiple OR plurality) near3 (compilers OR	USPAT;	2004/10/18
	30	languages))) with interpret\$5) and 717.clas.	US-PGPUB;	12:22
		languages/// with interpretas/ and /1/.clas.		12.22
			EPO; JPO;	
			DERWENT;	
	4-00		IBM_TDB	2004/40/40
-	1789	JAVA\$ and C and C++ and (Visual adj basic)	USPAT;	2004/10/18
			US-PGPUB;	12:23
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	194	(JAVA\$ and C and C++ and (Visual adj basic))	USPAT;	2004/10/18
		and 717.clas.	US-PGPUB;	12:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	125	((JAVA\$ and C and C++ and (Visual adj basic))	USPAT;	2004/10/18
		and 717.clas.) and compil\$3 and interpret\$5	US-PGPUB;	12:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	103	(((JAVA\$ and C and C++ and (Visual adj basic))	USPAT;	2004/10/18
		and 717.clas.) and compil\$3 and interpret\$5)	US-PGPUB;	12:24
		and model\$4	EPO; JPO;	
		and modely	DERWENT;	
			IBM_TDB	
_	21	((((JAVA\$ and C and C++ and (Visual adj	USPAT;	2004/10/18
	2.1	basic)) and 717.clas.) and compil\$3 and	US-PGPUB;	12:31
ļ		interpret\$5) and model\$4) and UML\$	EPO; JPO;	-2.01
		micrpreces) and modeles) and OMEs 	DERWENT;	
			IBM_TDB	
	4	corresponding with programming with language	USPAT;	2004/10/18
		corresponding with programming with language	US-PGPUB;	12:31
			· · · · · · · · · · · · · · · · · · ·	12.31
-			EPO; JPO;	
			DERWENT;	
		company ding with an arrange in a with	IBM_TDB	2004/10/19
-	4	corresponding with programming with	USPAT;	2004/10/18
		language\$	US-PGPUB;	12:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/40/40
<del>-</del>	61	corresp\$7 near2 compiler	USPAT;	2004/10/18
			US-PGPUB;	12:40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	20030005424.URPN.	USPAT	2004/10/18
				12:39

	8	combin\$5 with multiple with programming with languages	USPAT; US-PGPUB;	2004/10/18 12:41
			EPO; JPO;	12.71
	Ì		DERWENT;	
				•
	_		IBM_TDB	2004/10/20
-	5	UML and (generating with multiple with	USPAT;	2004/10/20
		languages)	US-PGPUB;	10:07
		•	EPO; JPO;	
		_	DERWENT;	
	_		IBM_TDB	
-	5	interpret\$5 with source with code with multiple	USPAT;	2004/10/20
		with languages	US-PGPUB;	10:08
			EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
-	580	717/140-141.ccls.	USPAT;	2004/10/20
			US-PGPUB;	10:32
	ļ į		EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	
<u> </u>	27	717/140-141.ccls. and (detect\$3 near2 (type OR	USPAT;	2004/10/20
		language))	US-PGPUB;	10:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29	717/140-141.ccls. and (plurality near3	USPAT;	2004/10/20
		languages)	US-PGPUB;	10:36
	-		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	23	multi\$4language and UML	USPAT;	2004/10/20
			US-PGPUB;	10:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/40/20
_	11	multi\$4language near2 compiler	USPAT;	2004/10/20
			US-PGPUB;	10:41
			EPO; JPO;	
			DERWENT;	
		/different with management with the second of	IBM_TDB	2004/10/20
-	4	(different with programming with languages with	USPAT;	2004/10/20
		model) and UML	US-PGPUB;	10:57
			EPO; JPO;	
			DERWENT;	
	28	("47240E4"   "4010222"   "4066610"	IBM_TDB USPAT	2004/10/20
-	28	("4734854"   "4819233"   "4866610"   "5150697"   "5163130"   "5305333"	USPAI	2004/10/20 10:46
		"5159687"   "5163130"   "5295222"   "5414847"   "5428792"   "5493680"		10.40
		, , , , , , , , , , , , , , , , , , , ,		
	·	"5499371"   "5526522"   "5557730"   "5560010"   "5623657"   "5640558"		
		"5675801"   "5694598"   "5699310"		
		"5732257"   "5737597"   "5754858"		
		"5819281"   "5845289"   "5875333"		
		"5903756"   "5923878"   "6085198"		
		"6237136").PN.		
	L	052/130 j.EM.		

		L		5004/40/00
-	28	("4734854"   "4819233"   "4866610"	USPAT	2004/10/20
		"5159687"   "5163130"   "5295222"		10:47
		"5414847"   "5428792"   "5493680"		
		"5499371"   "5526522"   "5557730"		
		"5560010"   "5623657"   "5640558"		
		"5675801"   "5694598"   "5699310"		
		"5732257"   "5737597"   "5754858"		
		"5819281"   "5845289"   "5875333"		
		"5903756"   "5923878"   "6085198"		
		"6237136").PN.		
-	297	((plurality OR multiple OR different) with	USPAT;	2004/10/20
		programming with languages).ti. OR ((plurality	US-PGPUB;	12:49
		OR multiple OR different) with programming	EPO; JPO;	
		with languages).ab.	DERWENT;	
		, with languages/last	IBM_TDB	
_	3	(((plurality OR multiple OR different) with	USPAT;	2004/10/20
		programming with languages).ti. OR ((plurality	US-PGPUB;	11:13
•		OR multiple OR different) with programming	EPO; JPO;	11.13
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
1		with languages).ab.) and UML		
	20	HC 6266006 # DID OD HC 5402400 # DID OD	IBM_TDB	3004/10/20
-	20	US-6266806-\$.DID. OR US-5493489-\$.DID. OR	USPAT;	2004/10/20
		US-6513152-\$.DID. OR US-5353371-\$.DID. OR	US-PGPUB;	11:13
		US-6199195-\$.DID. OR US-6199195-\$.DID. OR	EPO; JPO;	
		US-6199198-\$.DID. OR US-5872973-\$.DID. OR	DERWENT;	
1		US-6266806-\$.DID. OR US-5487135-\$.DID. OR	IBM_TDB	
		US-5469539-\$.DID. OR US-6476814-\$.DID.		
-	6	6237136.URPN.	USPAT	2004/10/20
				12:36
-	5	("4827404"   "5159687"   "5187788"	USPAT	2004/10/20
		"5675801"   "6070007").PN.	ļ	12:39
-	1263	717/114-123.ccls.	USPAT;	2004/10/20
			US-PGPUB;	12:40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	130	717/114-123.ccls. and ((multiple OR plurality)	USPAT;	2004/10/20
	į	near3 languages)	US-PGPUB;	12:40
			EPO; JPO;	
	Į		DERWENT;	
	j	·	IBM_TDB	
-	12	(717/114-123.ccls. and ((multiple OR plurality)	USPAT;	2004/10/20
		near3 languages)) and UML\$	US-PGPUB;	12:48
	Li Tura		EPO; JPO;	==
			DERWENT;	
			IBM_TDB	
l _	243	717/114.ccls.	USPAT;	2004/10/20
	273	/ 1// 117.003.	US-PGPUB;	12:48
			EPO; JPO;	12.70
			DERWENT;	
			1	
ł		717/114 asla and //slumblin. OB	IBM_TDB	2004/10/20
_	64	717/114.ccls. and ((plurality OR multiple OR	USPAT;	2004/10/20
}		different) with programming with languages)	US-PGPUB;	12:55
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	

r	12	717/114.ccls. and multi\$4language	USPAT;	2004/10/20
-	12	/ /1//114.ccis. and multipalanguage		· · ·
1			US-PGPUB;	12:53
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
<b>-</b>	863	717/114-119.ccls.	USPAT;	2004/10/20
			US-PGPUB;	12:53
			EPO; JPO;	
		·	DERWENT;	
		·	IBM_TDB	
-	15	717/114-119.ccls. and multi\$4language	USPAT;	2004/10/20
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	12:53
	1		EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
-	3	(717/114-119.ccls. and multi\$4language) not	USPAT;	2004/10/20
	\ \ \ \ \ \	(717/114.ccls. and multi\$4language)	US-PGPUB;	12:53
		(v. 1.7, 11 mener uma manag meneganga)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	60	(717/114.ccls. and ((plurality OR multiple OR	USPAT;	2004/10/20
		different) with programming with languages))	US-PGPUB;	12:55
		_ , , , , , , , , , , , , , , , , , , ,		12.33
		not (717/114-119.ccls. and multi\$4language)	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	